

OXFORD DICTIONARY OF
BIOCHEMISTRY AND
MOLECULAR BIOLOGY
REVISED EDITION

Managing Editor **Dr A D Smith** University College London

General Editors **Professor S P Datta** University College London
Dr G H Smith University College London
Professor P N Campbell (Chairman) University College London
Dr R Bentley University of Pittsburgh
Dr H A McKenzie Australian Defence Force Ac.

Subject Editors **Dr D A Bender** University College London
Dr A J Harris University of Queensland
Professor T W Goodwin University of Liverpool
Dr H A McKenzie Australian Defence Force Ac.
Dr J H Parish University of Leeds
Dr C Stanford University College London

Best Available Copy

OXFORD
UNIVERSITY PRESS

MAR. 31. 2005 2:34PM

TTC-PA 650-326-2422

NO. 5024 P. 40

**TOWNSEND & TOWNSEND & CREW
- PALO ALTO**

**OXFORD DICTIONARY OF
BIOCHEMISTRY AND
MOLECULAR BIOLOGY**

RECEIVED
OCT 19 2001

TOWNSEN & TOWNSEND
AND CREW
LIBRARY - PALO ALTO

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford OX2 6DP

Oxford University Press is a department of the University of Oxford.
It furthers the University's objective of excellence in research, scholarship,
and education by publishing worldwide in
Oxford New York

Athens Auckland Bangkok Bogotá Buenos Aires Calcutta
Cape Town Chennai Dares Salaam Delhi Florence Hong Kong Istanbul
Karachi Kuala Lumpur Madrid Melbourne Mexico City Mumbai
Nairobi Paris São Paulo Singapore Taipei Tokyo Toronto Warsaw
with associated companies in Berlin Ibadan

Oxford is a registered trade mark of Oxford University Press
in the UK and in certain other countries

Published in the United States
by Oxford University Press Inc., New York

© The General Editors, 1997

The authors have asserted their right under the Copyright, Designs and Patents Act, 1988,
to be identified as authors of this work

First published 1997

Revised edition 2000

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted, in any form or by any means,
without the prior permission in writing of Oxford University Press,
or as expressly permitted by law, or under terms agreed with the appropriate
reprographics rights organization. Enquiries concerning reproduction
outside the scope of the above should be sent to the Rights Department,
Oxford University Press, at the address above

You must not circulate this book in any other binding or cover
and you must impose this same condition on any acquirer

A catalogue record for this book is available from the British Library

Library of Congress Cataloging in Publication Data

(Data applied for)

ISBN 0 19 850673 2


Typeset by Market House Books Ltd, Aylesbury
Printed in Great Britain by
Butler & Tanner Ltd, Frome

N
G
in
ar
w.
D
th
ct
je
pr
ma
n
a
e
o
v
s
t
b
c
a
c
o
b
t
s
t
z
r
t
s
t
i
v
l
i

1350

134

Conium maculatum. The natural enantiomer has *S* configuration.



case γ -Glu-X carboxypeptidase, EC 3.4.19.9 (formerly 4.22.12); γ -glutamyl hydrolase; an enzyme that hydrolyzes γ -glutamyl bonds in *N*-pteroyl- γ -oligoglutamate, pteroylglutamate being a prominent product.

case 1 to effect or undergo conjugation. 2 describing of a pair of interconvertible substances, e.g. a conjugate acid-base pair. 3 the product formed as a result of conjugation. 4 the relationship between two chemical species, BH^+ and B , that are related by the reaction: $BH^+ \rightleftharpoons H^+ + B$. Then BH^+ is the conjugate acid of the base B , B is the conjugate base of the acid BH^+ , and BH^+ and B are a conjugate acid-base pair.

case base see conjugate acid-base pair.

case 1 describing a compound that is formed by the reaction of two compounds. 2 displaying or having undergone conjugation.

case double bond any of two or more double bonds in a molecule where each double bond is separated from the next by one single bond. Compare conjugation (def. 2).

case protein any protein that contains a nonprotein component, often in stoichiometric proportion. The nonprotein component may be a metal ion, a lipid, a carbohydrate, or an acid, and may be either loosely or tightly bound to the polypeptide chain(s).

case 1 the act of joining together: the state of being joined together. 2 an alternating sequence of multiple and single chemical bonds containing at least two multiple bonds delocalization of pi-electrons and resultant additional chemical stability. 3 the covalent or noncovalent joining together of one (larger) molecule, e.g. a protein or bile acid, with another (smaller) molecule. 4 a process of sexual reproduction occurring in various types of unicellular organisms. In bacteria, e.g. *Escherichia coli*, it involves the transfer of DNA from a donor cell to a recipient cell via a sex pilus; in protozoa, e.g. *Paramecium aurelia*, a true exchange of DNA occurs between the participating cells, which belong to different mating types.

case labelling a procedure for introducing a label into a molecule of interest by covalently coupling it, in a specific chemical reaction, to a small molecule containing the label (see conjugation (def. 3)). It is particularly useful for labeling with radioiodine any protein or peptide that is sensitive to oxidative procedures or to noxious components of a chemical reaction, that lacks tyrosine residues reactive with radioiodine, or that requires to be labelled at a residue other than tyrosine. See also Bolton and Hunter reagent.

case plasmid any plasmid that can bring about the transfer of DNA by conjugation (def. 3).

case any genetic element that is required for bacterial conjugation (def. 4), e.g. fertility factor.

case tissue any supporting tissue that lies between epithelial tissues and consists of cells embedded in a relatively large amount of extracellular matrix.

case tissue growth factor *abbr.*: CTGF; a growth factor of testis, spleen, kidney, lung, heart, and brain, that is encoded by CEF10; one of a family of growth regulators that includes a group of immediate-early genes expressed after stimulation by growth factors or certain oncogenes. The family includes Cyt61, BIG-M1, and BIG-M2. Example (precursor) mouse: database code CTGF_MOUSE, 348 amino acids (5 kDa).

conserved

connectivity (in chemistry) the information in any molecular formula or model regarding the order in which the constituent atoms of the molecule are linked, irrespective of the nature of the linkages.

connexin the main protein component of a connexon. Each connexin contains four putative membrane-spanning α -helices, and six connexins make up each connexon. A number of different subtypes of connexin exist within each species, contributing different functional behaviour to different connexons. Example from human: database code CX26_HUMAN, 208 amino acids (24.27 kDa); four motifs.

connexon the structural subunit of a gap junction, the structure that forms a bridge between adjacent cells in certain tissues of vertebrates. Seen by electron microscopy or low-angle X-ray diffraction, an individual gap junction consists of a number (10–10⁴) of connexons, often in hexagonal array, embedded in and protruding from either side of each of the opposed cell membranes in register and linked to one another. Each connexon is a cylindrical proteinaceous structure, about 6–8.5 nm in diameter and 7.5 nm long; it consists of six rod-shaped, essentially rigid subunits (connexins) of about 25 kDa arranged in an annulus. The diameter of the central opening can apparently be varied by radial displacement of the subunits at their cytoplasmic extremities. Each connexin spans one cell membrane, two with connecting ends being required to form a channel across both membranes. Such channels provide a regulatable hydrophilic pathway permitting the passage of small molecules (up to about 800 Da) between adjacent cells; the specificity of each channel is determined by the type of connexin it utilizes.

conotoxin *abbr.*: ω -CT; any of several peptides of the family of ω -conotoxins isolated from the venoms of two marine snails, *Conus geographicus* and *C. magus*. All ω -conotoxins have a conserved pattern of cysteine residues linked by four disulfide bridges. They are neurotoxins that inhibit voltage-gated Ca^{2+} channels and neurotransmitter release. ω -Conotoxin GVIA has the structure:

[tricyclic (1→16, 8→19, 15→26)(H-Cys¹-Lys-Ser-Hyp-Gly-Ser-Ser-Cys⁸-Ser-Hyp-Thr-Ser-Tyr-Asn-Cys¹⁵-Cys¹⁶-Arg-Ser-Cys¹⁹-Asn-Hyp-Tyr-Thr-Lys-Arg-Cys²⁶-Tyr-NH₂)]

consensus sequence an idealized sequence of nucleotides, or their constituent bases, or amino acids, base, or amino acid that represents the nucleotide most likely to occur at each position in the sequence. Consensus sequences are used to identify RNA splicing sites, other sites, plasmids, and families of proteins.

conservation the retention of structure by a macromolecule, or by a specified segment of one, with variation of circumstance (environmental, genetic, etc.). When used of primary structure, it can be synonymous with sequence homology. The degree of retention of structure is usually specified. See also conserved.

conservation of energy (law of) see thermodynamics.

conservative base change or conservative base substitution any mutational change, including substitution of a base, in a particular base triplet in a DNA molecule such that either the amino acid encoded by that base triplet is not altered, or there is no major change in the properties of the R group of the amino acids involved, e.g. Glu for Asp. See genetic code, wobble hypothesis.

conservative replacement or conservative substitution any replacement or substitution in a polypeptide chain of a particular amino acid residue by another one with similar properties, e.g. Arg for Lys, Phe for Tyr, Glu for Asp.

conserved describing a tendency to invariance in corresponding residues or sequences of residues of encoded macromolecules (e.g. proteins) obtained from specimens of genetically different sources. Macromolecules showing a high degree of

constant region

invariance of sequence; once conserved; once conserved

constant region

molecule that

acid sequence

residues at a

light chain (

named C_L, which

is designated C_H. It

is further designated

of a light chain

by the Greek letter

which defines the particular

constant region of

designated γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β , γ , δ , ϵ , ζ , η , θ , ι , κ , λ , μ , ν , ξ , \omicron , π , ρ , σ , τ , υ , ϕ , χ , ψ , ω , α , β ,

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.